AMENDMENTS TO THE CLAIMS:

Please change the heading at page 39, line 1, from "**Claims**" to --WHAT IS CLAIMED IS:--

The following listing of claims will replace all prior versions of claims in the application.

Claims 1-12 (canceled)

-- Claim 13 (new): A thiazole(bi)cycloalkylcarboxanilide of formula (I)



(I)

in which

Q represents a group



(Q-1)

or



(Q-2) ,

R^1 represents hydrogen, C_1-C_8-alkyl, C_1-C_6-alkylsulfinyl, C_1-C_6-alkylsulfonyl, C_1-C_4-alkoxy-C_1-C_4-alkyl, or C_3-C_8-cycloalkyl; represents C_1-C_6-haloalkyl, C_1-C_4-haloalkylsulfanyl, C_1-C_4-haloalkylsulfinyl, C_1-C_4-haloalkylsulfonyl, halo-C_1-C_4-alkoxy-C_1-C_4-alkyl, or C_3-C_8-halocycloalkyl having in each case 1 to 9 fluorine, chlorine and/or bromine atoms; or represents -COR^7, -$CONR^8R^9$, or -$CH_2NR^{10}R^{11}$,

R^2 represents C_3-C_{12}-cycloalkyl, C_3-C_{12}-cycloalkenyl, C_6-C_{12}-bicycloalkyl, or C_6-C_{12}-bicycloalkenyl, each of which is optionally mono- or polysubstituted by identical or different substituents selected from the group consisting of

halogen, cyano, hydroxyl, C_1-C_8-alkyl, C_1-C_8-alkoxy, C_1-C_6-haloalkyl having 1 to 9 fluorine, chlorine, and/or bromine atoms, and C_1-C_6-haloalkoxy having 1 to 9 fluorine, chlorine, and/or bromine atoms,

R^3 represents fluorine, chlorine, bromine, or methyl,

m represents 0, 1, 2, 3, or 4,

A represents O or CR^{12},

R^4, R^5, R^6, and R^{12} independently of one another represent hydrogen, methyl, or ethyl,

R^7 represents hydrogen, C_1-C_8-alkyl, C_1-C_8-alkoxy, C_1-C_4-alkoxy-C_1-C_4-alkyl, or C_3-C_8-cycloalkyl; represents C_1-C_6-haloalkyl, C_1-C_6-haloalkoxy, halo-C_1-C_4-alkoxy-C_1-C_4-alkyl, or C_3-C_8-halocycloalkyl having in each case 1 to 9 fluorine, chlorine, and/or bromine atoms; or represents 4-(difluoromethyl)-2-methyl-1,3-thiazol-2-yl,

R^8 and R^9 independently of one another represent hydrogen, C_1-C_8-alkyl, C_1-C_4-alkoxy-C_1-C_4-alkyl, or C_3-C_8-cycloalkyl; or represents C_1-C_8-haloalkyl, halo-C_1-C_4-alkoxy-C_1-C_4-alkyl, or C_3-C_8-halocycloalkyl having in each case 1 to 9 fluorine, chlorine, and/or bromine atoms, or

R^8 and R^9 together with the nitrogen atom to which they are attached form a saturated heterocycle that is optionally mono- or polysubstituted by identical or different substituents selected from the group consisting of halogen and C_1-C_4-alkyl and that has 5 to 8 ring atoms, where the heterocycle optionally contains 1 or 2 further nonadjacent heteroatoms selected from the group consisting of oxygen, sulfur, and NR^{13},

R^{10} and R^{11} independently of one another represent hydrogen, C_1-C_8-alkyl, or C_3-C_8-cycloalkyl; or represent C_1-C_8-haloalkyl or C_3-C_8-halocycloalkyl having in each case 1 to 9 fluorine, chlorine, and/or bromine atoms, or

R^{10} and R^{11} together with the nitrogen atom to which they are attached form a saturated heterocycle that is optionally mono- or polysubstituted by identical or different substituents selected from the group consisting of halogen and C_1-C_4-alkyl and that has 5 to 8 ring atoms, where the heterocycle optionally contains 1 or 2 further nonadjacent heteroatoms selected from the group consisting of oxygen, sulfur, and NR^{13}, and

R^{13} represents hydrogen or C_1-C_6-alkyl.

Claim 14 (new): A thiazole(bi)cycloalkylcarboxanilide of formula (I) according to Claim 13 in which

Q represents a group



or



(Q-1) (Q-2)

R^1 represents hydrogen; C_1-C_6-alkyl, C_1-C_4-alkylsulfinyl, C_1-C_4-alkylsulfonyl, C_1-C_3-alkoxy-C_1-C_3-alkyl, or C_3-C_6-cycloalkyl; represents C_1-C_4-haloalkyl, C_1-C_4-haloalkylsulfanyl, C_1-C_4-haloalkylsulfinyl, C_1-C_4-haloalkylsulfonyl, halo-C_1-C_3-alkoxy-C_1-C_3-alkyl, or C_3-C_6-halocycloalkyl having in each case 1 to 9 fluorine, chlorine, and/or bromine atoms; or represents $-COR^7$, $-CONR^8R^9$, or $-CH_2NR^{10}R^{11}$,

R^2 represents C_3-C_{12}-cycloalkyl, C_3-C_{12}-cycloalkyl, C_3-C_{12}-cycloalkenyl, C_6-C_{12}-bicycloalkyl, or C_6-C_{12}-bicycloalkenyl, each of which is optionally mono- to tetrasubstituted by identical or different substituents selected from the group consisting of fluorine, chlorine, bromine, cyano, hydroxyl, C_1-C_6-alkyl, C_1-C_6-alkoxy, C_1-C_4-haloalkyl having 1 to 9 fluorine, chlorine, and/or bromine atoms, and C_1-C_4-haloalkoxy having 1 to 9 fluorine, chlorine, and/or bromine atoms,

R^3 represents fluorine, bromine or methyl,

m represents 0, 1, 2, or 3,

A represents O or CR^{12},

R^4, R^5, R^6, and R^{12} independently of one another represent hydrogen, methyl, or ethyl,

R^7 represents hydrogen, C_1-C_6-alkyl, C_1-C_4-alkoxy, C_1-C_3-alkoxy-C_1-C_3-alkyl, or C_3-C_6-cycloalkyl; represents C_1-C_4-haloalkyl, C_1-C_4-haloalkoxy, halo-C_1-C_3-alkoxy-C_1-C_3-alkyl, or C_3-C_6-halocycloalkyl having in each case 1 to 9 fluorine, chlorine, and/or bromine atoms; or represents 4-(difluoromethyl)-2-methyl-1,3-thiazol-2-yl,

R^8 and R^9 independently of one another represent hydrogen, C_1-C_6-alkyl, C_1-C_3-alkoxy-C_1-C_3-alkyl, or C_3-C_6-cycloalkyl; or represents C_1-C_4-haloalkyl, halo-C_1-C_3-alkoxy-C_1-C_3-alkyl, or C_3-C_6-halocycloalkyl having in each case 1 to 9 fluorine, chlorine, and/or bromine atoms, or

R^8 and R^9 together with the nitrogen atom to which they are attached form a saturated heterocycle that is optionally mono- to tetrasubstituted by identical or different substituents selected from the group consisting of halogen and C_1-C_4-alkyl and that has 5 to 8 ring atoms, where the heterocycle optionally contains 1 or 2 further nonadjacent heteroatoms selected from the group consisting of oxygen, sulfur, and NR^{13},

R^{10} and R^{11} independently of one another represent hydrogen, C_1-C_6-alkyl, or C_3-C_6-cycloalkyl; or represent C_1-C_4-haloalkyl or C_3-C_6-halocycloalkyl having in each case 1 to 9 fluorine, chlorine, and/or bromine atoms, or

R^{10} and R^{11} together with the nitrogen atom to which they are attached form a saturated heterocycle that is optionally mono- or polysubstituted by identical or different substituents selected from the group consisting of halogen and C_1-C_4-alkyl and which has 5 to 8 ring atoms, where the heterocycle optionally contains 1 or 2 further nonadjacent heteroatoms selected from the group consisting of oxygen, sulfur, and NR^{12}, and

R^{13} represents hydrogen or C_1-C_4-alkyl.

Claim 15 (new): A thiazole(bi)cycloalkylcarboxanilide of formula (I) according to Claim 13 in which

Q represents a group



(Q-1)

or



(Q-2)

,

R^1 represents hydrogen, methyl, ethyl, n- or isopropyl, n-, iso-, sec-, or tert-butyl, pentyl, or hexyl, methylsulfinyl, ethylsulfinyl, n- or isopropylsulfinyl, n-, iso-, sec-, or tert-butylsulfinyl, methylsulfonyl, ethylsulfonyl, n- or isopropylsulfonyl, n-, iso-, sec-, or tert-butylsulfonyl, methoxymethyl, methoxyethyl, ethoxy-

methyl, ethoxyethyl, cyclopropyl, cyclopentyl, cyclohexyl, trifluoromethyl, trichloromethyl, trifluoroethyl, difluoromethylsulfanyl, difluorochloromethylsulfanyl, trifluoromethylsulfanyl, trifluoromethylsulfinyl, trifluoromethylsulfonyl, or trifluoromethoxymethyl; or represents -COR^7, -$CONR^8R^9$, or -$CH_2NR^{10}R^{11}$,

R^2 represents C_3-C_{10}-cycloalkyl, C_3-C_{10}-cycloalkenyl, C_6-C_{10}-bicycloalkyl, or C_6-C_{10}-bicycloalkenyl, each of which is optionally mono- to trisubstituted by identical or different substituents selected from the group consisting of fluorine, chlorine, bromine, cyano, hydroxyl, methyl, ethyl, n- or isopropyl, n-, iso-, sec-, or tert-butyl, methoxy, ethoxy, n- or isopropoxy, n-, iso-, sec-, or tert-butoxy, trifluoromethyl, difluoromethyl, trichloromethyl, difluorochloromethyl, trifluoromethoxy, difluoromethoxy, trichloromethoxy, or difluorochloromethoxy,

R^3 represents fluorine, bromine, or methyl,

m represents 0, 1, 2, or 3,

A represents O or CR^{12},

R^4 represents methyl or ethyl,

R^5 and R^6 each represent methyl,

R^7 represents hydrogen, methyl, ethyl, n- or isopropyl, tert-butyl, methoxy, ethoxy, tert-butoxy, cyclopropyl; trifluoromethyl, trifluoromethoxy, or 4-(difluoromethyl)-2-methyl-1,3-thiazol-2-yl,

R^8 and R^9 independently of one another represent hydrogen, methyl, ethyl, n- or isopropyl, n-, iso-, sec-, or tert-butyl, methoxymethyl, methoxyethyl, ethoxymethyl, ethoxyethyl, cyclopropyl, cyclopentyl, cyclohexyl; trifluoromethyl, trichloromethyl, trifluoroethyl, or trifluoromethoxymethyl, or

R^8 and R^9 together with the nitrogen atom to which they are attached form a saturated heterocycle selected from the group consisting of morpholine, thiomorpholine, and piperazine, each of which is optionally mono- to tetrasubstituted by identical or different substituents selected from the group consisting of fluorine, chlorine, bromine, and methyl, where the piperazine is optionally substituted on the second nitrogen atom by R^{13},

R^{10} and R^{11} independently of one another represent hydrogen, methyl, ethyl, n- or isopropyl, n-, iso-, sec-, or tert-butyl, methoxymethyl, methoxyethyl, ethoxy-

methyl, ethoxyethyl, cyclopropyl, cyclopentyl, cyclohexyl; trifluoromethyl, trichloromethyl, trifluoroethyl, or trifluoromethoxymethyl, or

R^{10} and R^{11} together with the nitrogen atom to which they are attached form a saturated heterocycle selected from the group consisting of morpholine, thiomorpholine, and piperazine, each of which is optionally mono- to tetra-substituted by identical or different substituents selected from the group consisting of fluorine, chlorine, bromine, and methyl, where the piperazine is optionally substituted on the second nitrogen atom by R^{13},

R^{12} represent hydrogen or methyl, and

R^{13} represents hydrogen, methyl, ethyl, n- or isopropyl, or n-, iso-, sec-, or tert-butyl.

Claim 16 (new): A thiazole(bi)cycloalkylcarboxanilide of formula (I-a)



(I-a)

in which

Q represents a group



(Q-1)

or



(Q-2) ,

R^2 represents C_3-C_{12}-cycloalkyl, C_3-C_{12}-cycloalkenyl, C_6-C_{12}-bicycloalkyl, or C_6-C_{12}-bicycloalkenyl, each of which is optionally mono- or polysubstituted by identical or different substituents selected from the group consisting of halogen, cyano, hydroxyl, C_1-C_8-alkyl, C_1-C_8-alkoxy, C_1-C_6-haloalkyl having 1 to 9 fluorine, chlorine, and/or bromine atoms, and C_1-C_6-haloalkoxy having 1 to 9 fluorine, chlorine, and/or bromine atoms,

R^3 represents fluorine, chlorine, bromine, or methyl,

m represents 0, 1, 2, 3, or 4,

A represents O or CR^{12}, and

R^4, R^5, R^6, and R^{12} independently of one another represent hydrogen, methyl, or ethyl.

Claim 17 (new): A thiazole(bi)cycloalkylcarboxanilide of formula (I-b)



(I-b)

in which

Q represents a group



(Q-1)

or



(Q-2) ,

R^{1-1} represents C_1-C_8-alkyl, C_1-C_6-alkylsulfinyl, C_1-C_6-alkylsulfonyl, C_1-C_4-alkoxy-C_1-C_4-alkyl, or C_3-C_8-cycloalkyl; represents C_1-C_6-haloalkyl, C_1-C_4-haloalkyl-sulfanyl, C_1-C_4-haloalkylsulfinyl, C_1-C_4-haloalkylsulfonyl, halo-C_1-C_4-alkoxy-C_1-C_4-alkyl, or C_3-C_8-halocycloalkyl having in each case 1 to 9 fluorine, chlorine, and/or bromine atoms; or represents $-COR^7$, $-CONR^8R^9$, or $-CH_2NR^{10}R^{11}$,

R^2 represents C_3-C_{12}-cycloalkyl, C_3-C_{12}-cycloalkenyl, C_6-C_{12}-bicycloalkyl, or C_6-C_{12}-bicycloalkenyl, each of which is optionally mono- or polysubstituted by identical or different substituents selected from the group consisting of halogen, cyano, hydroxyl, C_1-C_8-alkyl, C_1-C_8-alkoxy, C_1-C_6-haloalkyl having 1 to 9 fluorine, chlorine, and/or bromine atoms, and C_1-C_6-haloalkoxy having 1 to 9 fluorine, chlorine, and/or bromine atoms,

R^3 represents fluorine, chlorine, bromine, or methyl,

m represents 0, 1, 2, 3, or 4,

A represents O or CR^{12},

R^4, R^5, R^6, and R^{12} independently of one another represent hydrogen, methyl, or ethyl,

R^7 represents hydrogen, C_1-C_8-alkyl, C_1-C_8-alkoxy, C_1-C_4-alkoxy-C_1-C_4-alkyl, or C_3-C_8-cycloalkyl; represents C_1-C_6-haloalkyl, C_1-C_6-haloalkoxy, halo-C_1-C_4-alkoxy-C_1-C_4-alkyl, or C_3-C_8-halocycloalkyl having in each case 1 to 9 fluorine, chlorine, and/or bromine atoms; or represents 4-(difluoromethyl)-2-methyl-1,3-thiazol-2-yl,

R^8 and R^9 independently of one another represent hydrogen, C_1-C_8-alkyl, C_1-C_4-alkoxy-C_1-C_4-alkyl, or C_3-C_8-cycloalkyl; or represents C_1-C_8-haloalkyl, halo-C_1-C_4-alkoxy-C_1-C_4-alkyl, or C_3-C_8-halocycloalkyl having in each case 1 to 9 fluorine, chlorine, and/or bromine atoms, or

R^8 and R^9 together with the nitrogen atom to which they are attached form a saturated heterocycle that is optionally mono- or polysubstituted by identical or different substituents selected from the group consisting of halogen and C_1-C_4-alkyl and that has 5 to 8 ring atoms, where the heterocycle optionally contains 1 or 2 further nonadjacent heteroatoms selected from the group consisting of oxygen, sulfur, and NR^{13},

R^{10} and R^{11} independently of one another represent hydrogen, C_1-C_8-alkyl, or C_3-C_8-cycloalkyl; or represent C_1-C_8-haloalkyl or C_3-C_8-halocycloalkyl having in each case 1 to 9 fluorine, chlorine, and/or bromine atoms, or

R^{10} and R^{11} together with the nitrogen atom to which they are attached form a saturated heterocycle that is optionally mono- or polysubstituted by identical or different substituents selected from the group consisting of halogen and C_1-C_4-alkyl and that has 5 to 8 ring atoms, where the heterocycle optionally contains 1 or 2 further nonadjacent heteroatoms selected from the group consisting of oxygen, sulfur, and NR^{13}, and

R^{13} represents hydrogen or C_1-C_6-alkyl.

Claim 18 (new): A thiazole(bi)cycloalkylcarboxanilide of formula (I-c)



(I-c)

in which

R^1 represents hydrogen, C_1-C_8-alkyl, C_1-C_6-alkylsulfinyl, C_1-C_6-alkylsulfonyl, C_1-C_4-alkoxy-C_1-C_4-alkyl, or C_3-C_8-cycloalkyl; represents C_1-C_6-haloalkyl, C_1-C_4-haloalkylsulfanyl, C_1-C_4-haloalkylsulfinyl, C_1-C_4-haloalkylsulfonyl, halo-C_1-C_4-alkoxy-C_1-C_4-alkyl, or C_3-C_8-halocycloalkyl having in each case 1 to 9 fluorine, chlorine and/or bromine atoms; or represents $-COR^7$, $-CONR^8R^9$, or $-CH_2NR^{10}R^{11}$,

R^2 represents C_3-C_{12}-cycloalkyl, C_3-C_{12}-cycloalkenyl, C_6-C_{12}-bicycloalkyl, or C_6-C_{12}-bicycloalkenyl, each of which is optionally mono- or polysubstituted by identical or different substituents selected from the group consisting of halogen, cyano, hydroxyl, C_1-C_8-alkyl, C_1-C_8-alkoxy, C_1-C_6-haloalkyl having 1 to 9 fluorine, chlorine, and/or bromine atoms, and C_1-C_6-haloalkoxy having 1 to 9 fluorine, chlorine, and/or bromine atoms,

R^3 represents fluorine, chlorine, bromine, or methyl,

m represents 0, 1, 2, 3, or 4,

R^7 represents hydrogen, C_1-C_8-alkyl, C_1-C_8-alkoxy, C_1-C_4-alkoxy-C_1-C_4-alkyl, or C_3-C_8-cycloalkyl; represents C_1-C_6-haloalkyl, C_1-C_6-haloalkoxy, halo-C_1-C_4-alkoxy-C_1-C_4-alkyl, or C_3-C_8-halocycloalkyl having in each case 1 to 9 fluorine, chlorine, and/or bromine atoms; or represents 4-(difluoromethyl)-2-methyl-1,3-thiazol-2-yl,

R^8 and R^9 independently of one another represent hydrogen, C_1-C_8-alkyl, C_1-C_4-alkoxy-C_1-C_4-alkyl, or C_3-C_8-cycloalkyl; or represents C_1-C_8-haloalkyl, halo-C_1-C_4-alkoxy-C_1-C_4-alkyl, or C_3-C_8-halocycloalkyl having in each case 1 to 9 fluorine, chlorine, and/or bromine atoms, or

R^8 and R^9 together with the nitrogen atom to which they are attached form a saturated heterocycle that is optionally mono- or polysubstituted by identical

or different substituents selected from the group consisting of halogen and C_1-C_4-alkyl and that has 5 to 8 ring atoms, where the heterocycle optionally contains 1 or 2 further nonadjacent heteroatoms selected from the group consisting of oxygen, sulfur, and NR^{13},

R^{10} and R^{11} independently of one another represent hydrogen, C_1-C_8-alkyl, or C_3-C_8-cycloalkyl; or represent C_1-C_8-haloalkyl or C_3-C_8-halocycloalkyl having in each case 1 to 9 fluorine, chlorine, and/or bromine atoms, or

R^{10} and R^{11} together with the nitrogen atom to which they are attached form a saturated heterocycle that is optionally mono- or polysubstituted by identical or different substituents selected from the group consisting of halogen and C_1-C_4-alkyl and that has 5 to 8 ring atoms, where the heterocycle optionally contains 1 or 2 further nonadjacent heteroatoms selected from the group consisting of oxygen, sulfur, and NR^{13}, and

R^{13} represents hydrogen or C_1-C_6-alkyl.

Claim 19 (new): A thiazole(bi)cycloalkylcarboxanilide of formula (I-d)



(I-d)

in which

R^1 represents hydrogen, C_1-C_8-alkyl, C_1-C_6-alkylsulfinyl, C_1-C_6-alkylsulfonyl, C_1-C_4-alkoxy-C_1-C_4-alkyl, or C_3-C_8-cycloalkyl; represents C_1-C_6-haloalkyl, C_1-C_4-haloalkylsulfanyl, C_1-C_4-haloalkylsulfinyl, C_1-C_4-haloalkylsulfonyl, halo-C_1-C_4-alkoxy-C_1-C_4-alkyl, or C_3-C_8-halocycloalkyl having in each case 1 to 9 fluorine, chlorine and/or bromine atoms; or represents $-COR^7$, $-CONR^8R^9$, or $-CH_2NR^{10}R^{11}$,

A represents O or CR^{12},

R^4, R^5, R^6, and R^{12} independently of one another represent hydrogen, methyl, or ethyl,

R^7 represents hydrogen, C_1-C_8-alkyl, C_1-C_8-alkoxy, C_1-C_4-alkoxy-C_1-C_4-alkyl, or C_3-C_8-cycloalkyl; represents C_1-C_6-haloalkyl, C_1-C_6-haloalkoxy, halo-C_1-C_4-alkoxy-C_1-C_4-alkyl, or C_3-C_8-halocycloalkyl having in each case 1 to 9 fluorine, chlorine, and/or bromine atoms; or represents 4-(difluoromethyl)-2-methyl-1,3-thiazol-2-yl,

R^8 and R^9 independently of one another represent hydrogen, C_1-C_8-alkyl, C_1-C_4-alkoxy-C_1-C_4-alkyl, or C_3-C_8-cycloalkyl; or represents C_1-C_8-haloalkyl, halo-C_1-C_4-alkoxy-C_1-C_4-alkyl, or C_3-C_8-halocycloalkyl having in each case 1 to 9 fluorine, chlorine, and/or bromine atoms, or

R^8 and R^9 together with the nitrogen atom to which they are attached form a saturated heterocycle that is optionally mono- or polysubstituted by identical or different substituents selected from the group consisting of halogen and C_1-C_4-alkyl and that has 5 to 8 ring atoms, where the heterocycle optionally contains 1 or 2 further nonadjacent heteroatoms selected from the group consisting of oxygen, sulfur, and NR^{13},

R^{10} and R^{11} independently of one another represent hydrogen, C_1-C_8-alkyl, or C_3-C_8-cycloalkyl; or represent C_1-C_8-haloalkyl or C_3-C_8-halocycloalkyl having in each case 1 to 9 fluorine, chlorine, and/or bromine atoms, or

R^{10} and R^{11} together with the nitrogen atom to which they are attached form a saturated heterocycle that is optionally mono- or polysubstituted by identical or different substituents selected from the group consisting of halogen and C_1-C_4-alkyl and that has 5 to 8 ring atoms, where the heterocycle optionally contains 1 or 2 further nonadjacent heteroatoms selected from the group consisting of oxygen, sulfur, and NR^{13}, and

R^{13} represents hydrogen or C_1-C_6-alkyl.

Claim 20 (new): A process for preparing a thiazole(bi)cycloalkylcarboxanilides of formula (I) according to Claim 13 comprising

(1) reacting a carboxylic acid derivative of formula (II)



(II)

in which G represents halogen, hydroxyl. or C_1-C_6-alkoxy,

with an aniline derivative of formula (III)



(III)

in which Q is as defined for formula (I) in Claim 13,

in the presence of an acid binder and in the presence of a diluent

to form a compound of formula (I-a)



(I-a)

in which Q is as defined for formula (I) in Claim 13, and

(2) optionally reacting a compound of formula (I-a) with a halide of the formula (III)



(IV)

in which

R^{1-1} represents C_1-C_8-alkyl, C_1-C_6-alkylsulfinyl, C_1-C_6-alkylsulfonyl, C_1-C_4-alkoxy-C_1-C_4-alkyl, or C_3-C_8-cycloalkyl; represents C_1-C_6-haloalkyl, C_1-C_4-haloalkylsulfanyl, C_1-C_4-haloalkylsulfinyl, C_1-C_4-haloalkylsulfonyl, halo-C_1-C_4-alkoxy-C_1-C_4-alkyl, or C_3-C_8-halo-cycloalkyl having in each case 1 to 9 fluorine, chlorine, and/or bromine atoms; or represents $-COR^7$, $-CONR^8R^9$, or $-CH_2NR^{10}R^{11}$,

R^7, R^8, R^9, R^{10}, and R^{11} are as defined for formula (I) in Claim 13, and

X represents chlorine, bromine, or iodine,

in the presence of a base and in the presence of a diluent.

Claim 21 (new): A composition for controlling unwanted microorganisms comprising one or more thiazole(bi)cycloalkylcarboxanilides of formula (I) according to Claim 13 and one or more extenders and/or surfactants.

Claim 22 (new): A method for controlling unwanted microorganisms comprising applying an effective amount of one or more thiazole(bi)cycloalkylcarboxanilides of formula (I) according to Claim 13 to the microorganisms and/or their habitat.

Claim 23 (new): A process for preparing a composition for controlling unwanted microorganisms comprising mixing one or more thiazole(bi)cycloalkylcarboxanilides of the formula (I) according to Claim 13 with one or more extenders and/or surfactants. --